

Science and Communication 2026

Assignment 2: Blog Post and Infographic

Edzani Rowan Makwarela

MKWEDZ001

Pop-Up Fortresses: How Your Lungs Build DIY Immune Hubs to Fight TB

The Problem: A Battle of Entrenchment and The "Commute"

Everyone is familiar with lymph nodes, those tender, swollen glands in your neck or armpits that flare up when you are fighting off a cold. In a typical immune response, your body's defending cells act like commuters. When an infection occurs, they must travel back and forth from these distant lymph node "headquarters" through the lymphatic highways to reach the actual site of the infection in your tissue.

But what happens when the invader is *Mycobacterium tuberculosis* (Mtb)?

This ancient pathogen is a master of entrenchment and cellular sabotage. When inhaled into the lungs, TB bacteria are swallowed by macrophages (the immune system's garbage disposals). However, instead of being digested, the bacteria hijack the macrophage, neutralizing its acidic defence mechanisms and using it as a Trojan horse to hide deep within the lung tissue. Against such a heavily fortified and deeply entrenched enemy, the standard immune "commute" from a distant lymph node is simply too slow, too disorganized, and terribly inefficient.

Furthermore, this explains why the century-old BCG vaccine, while highly effective for preventing severe disease in infants, often fails to protect adults from pulmonary TB. BCG is injected into the skin (usually the arm) and relies on creating standard, circulating immune memory. When TB attacks the lungs decades later, those circulating cells are too far away to mount a rapid frontline defence. Consequently, tuberculosis continues to claim over 1.6 million lives globally every single year.

The Question: Can We Move the Headquarters?

If the commute is the problem, the solution is radically rethinking immune logistics. A collaborative team of researchers (including scientists from the Tulane National Primate Research Center) set out to answer a vital question: *Can a novel, inhaled vaccine force the immune system to abandon the "commute" and build its headquarters directly on the lung's frontlines before a lethal TB infection even begins?*

The Methods

To answer this, researchers conducted an extensive study using cynomolgus macaques. These primates are the gold standard for tuberculosis research because their immune systems and lung structures react to TB almost identically to humans, forming the exact same complex cellular clusters (granulomas).

Instead of giving the macaques a standard injection in the arm, the researchers administered a genetically modified, weakened version of the TB bacteria (a vaccine candidate known as MtbΔsigH) directly into their lungs via an aerosol spray. By simulating a natural airborne infection, they hoped to trigger a localized mucosal immune response. After a waiting period, the researchers challenged both the vaccinated macaques and an unvaccinated control group with a highly lethal,

aerosolized dose of fully virulent TB. They then analysed the lung tissue microscopically to see how the immune system structurally responded to the attack.

The Results

The microscopic results were staggering. The vaccinated macaques didn't just fight off the infection; they completely rewrote their tactical blueprints.

The researchers discovered that the aerosol vaccine triggered the local lung tissue to form Tertiary Lymphoid Structures (TLS), specifically known in the lungs as iBALT (inducible bronchus-associated lymphoid tissue). Instead of waiting for reinforcements to commute from the neck or armpits, the lungs built highly organized "forward operating bases" from scratch, right next to the infection site.




Figure 1: Visualizing the Pop-Up Fortress. Microscopic fluorescent imaging of lung tissue reveals that macaques receiving the attenuated aerosol vaccine (left) successfully built dense, highly organized iBALT structures (dark clusters of immune cells), whereas unvaccinated macaques (right) failed to organize these local defences. (Adapted from Kaushal *et al.,* Nature Communications).

Inside these pop-up fortresses, the immune system deployed its elite forces. The imaging showed specialized T follicular helper (Tfh) cells intimately interacting with B cells. Driven by chemical flares (chemokines) released by the lung tissue, these cells organized into "germinal centres." You can think of a germinal centre as an elite microscopic boot camp. Here, the B cells rapidly learn to produce highly targeted, deadly antibodies against the TB bacteria right on the battlefield.

By centralizing the command structure, the immune system successfully trapped the bacteria, restricted its spread, and launched an aggressive, highly localized counterattack.

But did this structural change actually save the macaques? The data unequivocally says yes.




Figure 2: The Tactical Advantage. Assessing the bacterial burden (Colony Forming Units or CFUs) within the lungs reveals that macaques capable of forming iBALT structures (blue/vaccine group) achieved a massive, multi-log reduction in surviving TB bacteria compared to unvaccinated controls (red group). (Adapted from Singh *et al.,* Nature Communications).

As the data figure shows, the macaques equipped with these pre-built pop-up fortresses experienced a massive drop in Bacterial Burden (measured in CFUs, or Colony Forming Units). The aerosol vaccine did not just slow the bacteria down; it practically eradicated it from the lung tissue compared to the unvaccinated group.

The Takeaways: The Future of Mucosal Vaccines

Why does decoding the architecture of these microscopic fortresses matter to us? It represents a monumental, paradigm-shifting approach to infectious disease.

This synthesis of research proves that TB latency and infection is a complex host-pathogen dialogue. By understanding exactly how to induce iBALT, scientists are paving the way for next-generation mucosal vaccines and host-directed therapies. In the near future, instead of an injection in the arm, you might use a simple inhaler. This inhaler would deliver specific vaccine adjuvants that intentionally trigger your lungs into pre-building these DIY fortresses *before* you are ever exposed to a sick person coughing on a bus.

By mastering the science of Tertiary Lymphoid Structures, we aren't just fighting the bacteria with standard, exhaustive antibiotic regimens. We are bringing the fight directly to the battlefield, giving the human body the ultimate tactical advantage to stop tuberculosis exactly where it enters.

POP-UP FORTRESSES:


How Your Lungs Build DIY Immune Hubs to Fight TB

THE PROBLEM

Normally, immune cells commute from distant lymph nodes to the lungs. But *Mycobacterium tuberculosis* is a master of entrenchment, hiding inside macrophages.

By the time immune cells arrive, the commute has been too slow.

This is why standard vaccines injected in the arm often fail to protect adults from lung TB.




THE QUESTION

Can a novel, inhaled vaccine (MtbΔsigH) force the immune system to abandon the "commute" and build its headquarters directly on the lung's frontlines before a lethal TB infection begins?



METHODS




1. Cynomolgus macaques selected (gold standard for TB research).
2. Administered aerosol MtbΔsigH vaccine directly into lungs.
3. Challenged with lethal, aerosolized TB.
4. Microscopic analysis of lung tissue.

THE RESULTS: iBALT & GERMINAL CENTRES


The aerosol vaccine triggered lung tissue to form Tertiary Lymphoid Structures (iBALT). Inside these pop-up fortresses, B cells and T cells organized into "germinal centres" to produce targeted antibodies right on the battlefield.

Macaques that built these fortresses achieved a massive, multi-log reduction in surviving TB bacteria, practically eradicating it.

SURVIVING TB BACTERIA (MULTI-LOG REDUCTION)



GERMINAL CENTRE INSIDE iBALT (POP-UP FORTRESS)



WHAT DOES THIS MEAN?



This represents a paradigm shift. By mastering the science of Tertiary Lymphoid Structures, we are paving the way for next-generation mucosal vaccines (like inhalers) that trigger your lungs to pre-build these DIY fortresses before you are ever exposed to TB.



Edzani Rowan Makwarela | MKWEDZ001 | Science and Communication 2026

REFERENCES: Kaushal, D., et al. (2015) | Singh, D. K., et al. (2025) | Swanson, R. V., et al. (2024)

References

Camarasa, T. M. N., Iseppi, L., Schreiner, D., & King, C. G. (2025). Tertiary Lymphoid Structures in Tuberculosis: Persistence, Protection, and Pathology. *Immunological Reviews*.

Choi, H. G., Kwon, K. W., & Shin, S. J. (2023). Importance of adjuvant selection in tuberculosis vaccine development: Exploring basic mechanisms and clinical implications. *Vaccine: X*, 15, 100400.

Kaushal, D., Foreman, T. W., et al. (2015). Mucosal vaccination with attenuated Mycobacterium tuberculosis induces strong central memory responses and protects against tuberculosis. *Nature Communications*, 6:8533.

Singh, D. K., et al. (2025). Prevention of tuberculosis in cynomolgus macaques by an attenuated Mycobacterium tuberculosis vaccine candidate. *Nature Communications*.

Swanson, R. V., Gupta, A., et al. (2024). Antigen-specific B cells direct T follicular-like helper cells into lymphoid follicles to mediate Mycobacterium tuberculosis control. *Nature Immunology*.